

**F. No. IA3-10/10/2021-IA.III**  
Government of India  
Ministry of Environment, Forest and Climate Change  
(IA.III Section)

Indira Paryavaran Bhawan,  
Jor Bagh Road, New Delhi - 3  
Tel: 011-24695363, Email: [lk.bokolia@nic.in](mailto:lk.bokolia@nic.in)

Date: 12<sup>th</sup> March, 2021

To,

**Shri Parveen Yadav, General Manager**  
**M/s. Aditya Infra Developers Pvt. Ltd.**  
271, Udyog Vihar, Phase-II,  
Gurgaon, Haryana- 122016  
Email: [praveen@baani.com](mailto:praveen@baani.com)

**Subject: Environment Clearance for Expansion of "Corporate One" (Commercial Complex) in built up area from 20302.48 sqm to 22955.98 sqm at Plot No. 5, Jasola District Centre, New Delhi by M/s. Aditya Infra Developers Pvt. Ltd. - Regarding**

Sir,

This has reference to your Application/ Proposal No. IA/DL/NCP/151695/2013; received on 20<sup>th</sup> January, 2021 through Parivesh Portal for grant of Environmental Clearance (EC) for Expansion of "Corporate One" (Commercial Complex) built up area from 20302.48 sqm to 22955.98 sqm at Plot No. 5, Jasola District Centre, New Delhi by M/s Aditya Infra Developers Pvt. Ltd.

2. The project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level. However, due to non-existence of SEIAA in Delhi, the proposal is appraised at Central level by sectoral EAC.
3. Accordingly, the abovementioned proposal for grant of Environmental Clearance has been examined by the Expert Appraisal Committee (Infra-2) in its 60<sup>th</sup> meeting held during 27<sup>th</sup> - 28<sup>th</sup> January, 2021.
4. The details of the project, as per the application and documents submitted by the project proponent, and also as informed during the above-mentioned meetings of EAC (Infra-2) are as under:
  - i. The project is located at Plot No. 5, Jasola District Centre, South East Delhi, New Delhi with coordinates 28°32'19.91" N Latitude and 77°17'17.52" E Longitude.
  - ii. The proposal is for 'Expansion'.

- iii. Earlier, the project was granted Environmental Clearance vide letter no. DPCC/SEAC/160/SEIAA/25/2013 dated 02.05.2013. EC was granted for plot area of 4110.6 sqm and built-up area of 20323.92 sqm. The project is now operational on built-up area 20302.48 sqm. As per the amendment in UBBL Bye Laws, additional FAR is available and hence vertical expansion is proposed.
- iv. The total plot area of the project will remain the same i.e., 4110.6 sqm. Total ground coverage area will be 1493.56 sqm. Total FAR area will be 12329.467sqm. Total Non-FAR area including basement area will be 10626.513sqm. The total built-up area will be 22955.98 sqm. The maximum number of floors after expansion will be 3B+G+7. The maximum height of the building will be 29.5 m. The details of the building configuration are as follows:

| Component                          | Unit | As per EC granted dated 02.05.13 | Existing Operational | FAR Converted to Non-FAR | Proposed Details | Total after addition |
|------------------------------------|------|----------------------------------|----------------------|--------------------------|------------------|----------------------|
| Ground Coverage (GC) (Permissible) | sqm  | 1644                             |                      |                          |                  |                      |
| GC (Proposed)                      | sqm  | 1631.096                         | 1631.096             | 84.10                    | -                | 1493.560             |
| F.A.R permissible                  | sqm  | 12330                            |                      |                          |                  |                      |
| F.A.R (proposed)-A                 | sqm  | 12309.64                         | 12288.39             | 1190.801                 | 1231.878         | 12329.467            |
| Non-FAR (Atrium)- B                | sqm  | 332.41                           | 332.41               | -                        | -                | 332.41               |
| Other Non-FAR-C                    | -    | -                                | -                    | -                        | 2612.431         | 2612.431             |
| Total Non-FAR(B+C)                 | -    | 332.41                           | 332.41               | -                        | 2612.431         | 2944.841             |
| Basement - 1                       | sqm  | 2505.781                         |                      |                          |                  |                      |
| Basement -2                        | sqm  | 2548.241                         |                      |                          |                  |                      |
| Basement - 3                       | sqm  | 2627.654                         |                      |                          |                  |                      |
| Total Basement Area-D              | sqm  | 7681.68                          |                      |                          |                  |                      |
| Built Up Area (A+B+C+D)            | sqm  | 20323.92                         | 20302.48             | -                        | 2653.50          | 22955.98             |

- v. The details of the proposed expansion are given in table as follows:

| Component           | Unit | As per EC granted dated 02.05.2013 | Existing Operational | Proposed Expansion | Total after Expansion |
|---------------------|------|------------------------------------|----------------------|--------------------|-----------------------|
| Cost of the project | Rs.  | 76.69 crores                       | 260                  | 8.99 Crore         | 85.68 crores          |

24

|   |        |                  |                 |                              |                 |
|---|--------|------------------|-----------------|------------------------------|-----------------|
| Plot area                                       | sqm    | 4110.6           | 4110.6          | NIL                          | 4110.6          |
| Built -up area                                  | sqm    | 20323.92         | 20302.48        | 2653.50                      | 22955.98        |
| Green area                                      | sqm    | 260              | 260             | NIL                          | 260             |
| Road area & open area including surface parking | sqm    | -                | -               | -                            | 2265.04         |
| Surface parking area                            | sqm    | -                | -               | -                            | 92.0            |
| No. of floors                                   | No.    | 3B+G+6           | 3B+G+6          | 1 floor on existing building | 3B+G+7          |
| No. of basement                                 | No.    | 3 level          | 3 level         | NIL                          | 3 level         |
| Height of building                              | m      | 21 m             | -               | 8.5 m                        | 29.5 m          |
| Total population                                | No     | -                | 770             | 463                          | 1233            |
| Power load                                      | kW     | 2100             | 1484            | 120                          | 1604            |
| No. of DG sets                                  | kVA    | 2x1010,<br>1x500 | 2x1010<br>1x380 | NIL                          | 2x1010<br>1x380 |
| No. of Rain water harvesting pits               | No.    | 2                | 2               | NIL                          | 2               |
| Total parking provision                         | ECS    | 309              | 254             | NIL                          | 254             |
| Total water requirement                         | KLD    | 230              | 80              | 24                           | 104             |
| Fresh water requirement                         | KLD    | 168              | 42              | -19                          | 23              |
| Treated water reuse                             | KLD    | 62               | 38              | 43                           | 81              |
| Waste water generation                          | KLD    | 64               | 44              | 8                            | 52              |
| STP capacity                                    | KLD    | 80               | 80              | NIL                          | 80              |
| Total solid waste generation                    | kg/day | 267              | 135             | 50                           | 185             |

Note: (-) indicates decrease in value. The fresh water requirement has decreased as it has been proposed to substitute fresh water with treated water for use in HVAC systems.

vi. Total 7 KLD of water is required during the construction phase, out of

which 3 KLD of water required for domestic purposes will be sourced through Delhi Jal Board (DJB)/Tanker supply and 4 KLD of water required for construction use will be sourced from Sewage Treatment Plant (STP) treated water.

- vii. The total water requirement after expansion will be 104 KLD during operational phase. Out of which, fresh water requirement will be 23 KLD, to be met from local supply of Delhi Jal Board (DJB Supply). Rest 81 KLD recycled water will be sourced through STP treated water. The Sewage generation of 52 KLD will be treated in an inhouse STP of capacity 80 KLD based on SAFF (Submerged Aerobic Fixed Film) technology. 47 KLD of treated water obtained from the proposed onsite STP along with 34 KLD treated waste water from nearby projects will be reused for flushing, gardening and cooling. No excess treated water is envisaged from the commercial complex.
- viii. About 185 kg/day (0.185 TPD) solid wastes has been estimated to be generated from the project after expansion. The biodegradable waste 74 kg/day (0.074 TPD) is currently being sent to the vendor through South Delhi Municipal Corporation as per the agreement for disposal. Same will be followed after proposed expansion. Generated non-biodegradable waste will be 55.5 kg/day (0.055 TPD) and plastic waste 55.5 kg/day (0.055 TPD) which will be handed over to the authorized recycler.
- ix. Total power requirement during the operation phase will be 1604 KW which will be met from BSES Rajdhani Power Corporation Limited. DG sets of capacity 2×1010 kVA and 1×380 kVA have been installed for meeting the need during power failure in accordance with CPCB norms.
- x. Rooftop rainwater of buildings will be collected in two rain water harvesting (RWH) pits of total 35 KL capacity for harvesting after filtration.
- xi. The parking provision will be for 254 ECS against a requirement of 247 ECS.
- xii. Overall, 10% of the proposed load for expansion will be from the Solar Power. Solar PV of 12 kW (15 kVA) will be installed.
- xiii. The project is not located in Critically Polluted area.
- xiv. The project is not located within 10 km of Eco Sensitive Zone. NBWL Clearance is not required.
- xv. Forest Clearance is not required.
- xvi. No Court case is pending against the project.
- xvii. Total capital cost towards EMP will be Rs 12 lakhs (including the social activities cost which is Rs.9.0 lakhs) and Recurring cost will be Rs 3.25 lakhs per year.
- xviii. Green belt will be developed at the site with a total green area of 260 sqm. (6.33 % of the total plot area). No tree cutting will be done.
- xix. Expected timeline for completion of the project: 1-2 years
- xx. The total cost of the project is Rs. 8.99 crores
- xxi. Employment potential: Approx. 50 laborers will be hired during the construction phase.
- xxii. Benefits of the project: It will lead to an increase in the nearby

infrastructure of the area. It will provide employment to people in the type of Domestic help/Drivers etc. Energy efficient measures to reduce the requirement during the operation stage shall be maintained which ultimately leads to lesser demands and reducing carbon footprints of the project making it more eco-friendly. A well-designed waste management approach such as different collection unit for wet & dry waste respectively and eco-friendly treatment approach i.e., composting systems, recycling etc. will reduce the amount of waste that it sends to landfill. Additional revenue generation to the government will be provided after the completion of the project. Major income source to an important section of society and also to the upcoming investors.

**5.** The EAC also noted that the PP has obtained certified compliance report from MOEFCC Integrated Regional Office, Jaipur dated 15.01.2021. The PP has committed to compliance action for the observations in the said report.

**6.** The EAC, based on information and clarifications provided by the project proponent and detailed discussions held on the issues, has recommended granting environment clearance to the project. The aforesaid recommendation of EAC (Infra-2) is subject to certain specific conditions, as stipulated during its 60<sup>th</sup> meeting held during 27- 28<sup>th</sup> January, 2021.

**7.** Based on recommendations of EAC (Infra-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project for 'Expansion of "Corporate One" (Commercial Complex) in built up area from 20302.48sqm to 22955.98sqm at Plot No. 5, Jasola District Centre, New Delhi by M/s. Aditya Infra Developers Pvt. Ltd.', under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the following specific and standard conditions:

**A. Specific Conditions:**

- i. As committed, non-compliance to certain existing EC shall be implemented within three months and closure report shall be obtained from concerned regulatory authority.
- ii. As committed, no groundwater abstraction shall be done during construction as well as operation phase of the project.
- iii. Fresh water requirement from local authority shall not exceed 23KLD during operational phase.
- iv. As committed, 10 % certain portion of the proposed power load for expansion shall be from the solar power. Solar PV of 12 kW (15 kVA) shall be installed.
- v. Area for greenery shall be provided as per the details provided in the project document i.e., area under plantation/greenery will be 260 sqm. As proposed, at least 333 trees shall be maintained during the operation phase of the project. The landscape planning should include plantation of native species. A minimum of 01 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Plantations to be ensured species (cut) to species (planted). The species with heavy foliage, broad leaves

- and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- vi. As proposed, waste water shall be treated in an onsite STP of total 80KLD capacity. 47KLD of treated water obtained from STP along with 34KLD treated waste water from nearby projects shall be reused for flushing, gardening and cooling. As committed, there shall be no discharge of treated waste water outside the premises.
  - vii. The project proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
  - viii. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, two RWH pits shall be provided for rain water harvesting after filtration.
  - ix. The solid waste shall be duly segregated into biodegradable and non-biodegradable components and handled in separate area earmarked for segregation of solid waste, as per SWM Rules, 2016. As committed, biodegradable waste shall be sent to the vendor through South Delhi Municipal Corporation. Inert waste shall be dumped to authorized site. The recyclable waste shall be sold to resellers.
  - x. The PP shall provide electric charging points in the parking areas for e-vehicles as committed.
  - xi. The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes as applicable to the project.

## **B. Standard Conditions:**

### **I. Statutory compliance:**

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.

- v. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- vi. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- vii. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- viii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- ix. The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
- x. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

**II. Air quality monitoring and preservation:**

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g., PM<sub>10</sub> and PM<sub>2.5</sub>) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.

- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

**III. Water quality monitoring and preservation:**

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- iv. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- v. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.

- viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
  - ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
  - x. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
  - xi. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
  - xii. All recharge should be limited to shallow aquifer.
  - xiii. No ground water shall be used during construction phase of the project.
  - xiv. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
  - xv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
  - xvi. Sewage shall be treated in the STP with tertiary treatment.
  - xvii. No sewage or untreated effluent water would be discharged through storm water drains.
  - xviii. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
  - xix. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
  - xx. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
- IV. Noise monitoring and prevention:**
- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental

pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.

- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

**V. Energy Conservation measures:**

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

**VI. Waste Management:**

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed wherever possible.

- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 and 25<sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.
- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

**VII. Green Cover:**

- i. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e., planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iii. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

**VIII. Transport**

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b. Traffic calming measures.

- c. Proper design of entry and exit points.
  - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

**IX. Human health issues:**

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

**X. Miscellaneous:**

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.




- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- vi. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- vii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-monthly Compliance Report
- viii. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- ix. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- x. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- xi. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.
- xii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- xiii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.

- xiv. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xv. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xvi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xvii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xviii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**8.** The Environmental Clearance is being granted to M/s Aditya Infra Developers Pvt. Ltd for Expansion of "Corporate One" (Commercial Complex) built up area from 20302.48 sqm to 22955.98 sqm at Plot No. 5, Jasola District Centre, New Delhi.

**9.** This issue with the approval of the Competent Authority.

  
**(Lalit Bokolia)**  
**Director**

**Copy to:**

1. Principal Secretary (Environment and Forest) cum Chairperson (DPCC), Department of Environment, Government of NCT of Delhi, 6th floor, C wing, Delhi Secretariat, I P Estate, Delhi-110002
2. Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Jaipur, Camp Office, 5th Floor, Sector "H" Aliganj, Lucknow – 226020
3. Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
5. Guard File/ MoEF&CC website.

  
**(Lalit Bokolia)**